





CALM

PRODUCT	COLOR / REF	SIZE	PACKING
	CALM WHITE SKU# CAL-WHI	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	CALM CREAM SKU# CAL-CRE	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	CALM GREY SKU# CAL-GRE	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	CALM BLACK SKU# CAL-BLA	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box

QUIET

PRODUCT	COLOR / REF	SIZE	PACKING
	QUIET WHITE SKU# QUI-WHI	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	QUIET CREAM SKU# QUI-CRE	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	QUIET GREY SKU# QUI-GRE	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	QUIET BLACK SKU# QUI-BLA	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box

SILENCE

PRODUCT	COLOR / REF	SIZE	PACKING
	SILENCE WHITE SKU# SIL-WHI 11.5"X11.5"	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	SILENCE CREAM SKU# SIL-CRE 11.5"X11.5"	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	SILENCE GREY SKU# SIL-GRE 11.5"X11.5"	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box
	SILENCE BLACK SKU# SIL-BLA 11.5"X11.5"	29x29cm (11.5"x11.5")	11 Pcs/Box 10 Sqft/Box 27 Lbs/Box 90 Boxes/Pallet 900 Sqft/Box

CALM - QUIET - SILENCE

TYPE	Recycled glass
APPLICATION	Indoors/Outdoors Wall/Floor Wet Areas
DESCRIPTION	The exclusive selection of Matt glass mosaic with a honed finish, takes us to both a sober and a warm space. The geometric shapes and color palette creates a sense of peace and tranquility.
PRODUCT INSTALLATION	It is recommended for the product to be installed by a qualified professional. We do not recommend the use of adhesives based on epoxy resin. Read carefully instructions set by the manufacturer of the adhesive used.
PRODUCT CARE	For initial and daily cleaning the use of a damp cloth and mild soap is recommended. Avoid using abrasive and acidic cleaning products.

	TECHNICAL SPECIFICATIONS	ISO	TEST METHOD	PASS/FAIL
	FROST RESISTANCE	ISO 10545-12	Resists	Yes

	SURFACE TECHNICAL SPECIFICATIONS	ISO	TEST METHOD	PASS/FAIL
	ACID & ALKALI RESISTANCE	ISO 10545-13	GLA/GLA	Yes
	CRAZING RESISTANCE	ISO 10545-11	Resists	Yes
	STAINING RESISTANCE	ISO 10545-14	5	Yes
	SURFACE QUALITY	ISO 10545-2	> 95%	Yes